




Declaration of contamination status

Flow chart for handling of equipment prior to inspection, service, repair, return to lending organisation or investigation of adverse incident.

Note: It is illegal to send contaminated items through the post.



Ref: DB2003 (05) June 2003 page 11



Declaration of contamination status

From (consignor): Address: Reference: Emergency tel:	To (consignee): Address: Reference:
--	--

Type of equipment: Description of equipment: Other identifying marks: Model No: Fault:	Manufacturer: Serial No:
--	---

Is the item contaminated?	Yes* <input type="checkbox"/>	No <input type="checkbox"/>	Don't know <input type="checkbox"/>
<small>* State type of contamination: blood, body fluids, respired gases, pathological samples, chemicals (including cytotoxic drugs), radioactive material or any other hazard</small>			
Has the item been decontaminated?	Yes(a) <input type="checkbox"/>	No(b) <input type="checkbox"/>	Don't know <input type="checkbox"/>
(a) What method of decontamination has been used? Please provide details:			
Cleaning: <input type="checkbox"/>			
Disinfection: <input type="checkbox"/>			
Sterilisation: <input type="checkbox"/>			
(b) Please explain why the item has NOT been decontaminated:			

CONTAMINATED ITEMS SHOULD NOT BE RETURNED WITHOUT PRIOR AGREEMENT OF THE RECIPIENT

This item has been prepared to ensure safe handling and transportation:	
Name:	Position:
Signature:	
Date:	Tel: