

PVL-SA - Mupirocin resistant Octenisan and Naseptin suppression treatment Instructions for service users in the community

Panton-Valentine Leukocidin *Staphylococcus aureus* (PVL-SA) suppression treatment helps to reduce the numbers of PVL-SA bacteria a person has or may carry. This treatment reduces the chances of developing a new PVL-SA infection.

This information aims to assist you to use PVL-SA suppression treatment correctly. It is important that you complete the course to reduce the possibility of developing a further PVL-SA infection. Both treatments should be started on the same day. If close contacts have also been prescribed treatment, it is important that everyone starts their treatment on the same day.

The treatment is a combination of **two separate treatments that are started on the same day**, an antimicrobial body wash lotion on days 1 to 5 and a nasal cream for days 1 to 10.

Octenisan wash lotion (step-by-step guide on the back of this sheet)

Octenisan antimicrobial wash lotion is effective at destroying the bacteria that cause PVL-SA infections and should be used for both whole body and hair washing.

- You will need to shower or strip wash **once** daily for 5 days using the antimicrobial wash lotion.
- After showering with your normal skin products, apply Octenisan undiluted to the whole body and leave for the recommended contact time of 1 minute before rinsing off thoroughly.
- Use the wash lotion as a hair shampoo on day 2 and day 4. Hair conditioner can still be used after using the Octenisan wash lotion. You can wash your hair as normal on the other days during the treatment.

Naseptin nasal cream (step-by-step guide on the back of this sheet)

- It is important to wash your hands with liquid soap and warm running water before and after applying the ointment.
- For both nostrils, place a small amount of the cream, about the size of a match head, on your little finger and apply to the inside of each nostril four times a day for 10 days.
- Pinch the nostrils lightly together after applying the ointment to help spread it.
- Discard any remaining product at the end of the 10 days of treatment.
- If you are pregnant or breastfeeding, please discuss with your GP prior to use.

Treatment plan (please tick box when applied)

Octenisan treatment	Day 1	Day 2	Day 3	Day 4	Day 5
Apply daily to skin during shower or wash	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Wash hair with lotion		<input type="checkbox"/>		<input type="checkbox"/>	

Naseptin nasal treatment	Time	Days 1- 10									
		1	2	3	4	5	6	7	8	9	10
Apply cream inside both nostrils 4 times a day	Morning	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Lunch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Tea	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Bed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Octenisan wash lotion step-by-step guide

octenisan® 5 day antimicrobial wash protocol

Instructions for use

- Apply octenisan® undiluted onto a clean, damp washcloth
- Rub onto the areas of the body to be cleansed and wash off
- For showering or hair washing, simply use octenisan® in the same manner as other hair and skin washing preparations
- Always observe the recommended contact time of 1 minute*



*tested according to EN 12054



<p>Step 1</p> <p>Hair Body</p> <p>Ensure Hair and Body are Wet</p>	<p>Step 2</p> <p>octenisan® damp washcloth</p> <p>Apply octenisan® undiluted</p>	<p>Step 3</p> <p>Hair Body</p> <p>Apply octenisan® evenly all over the body & hair (recommended skin contact time 1 minute*)</p> <p>All over Hair & Body. Focus on areas a, b, c</p>		
<p>Step 4</p> <p>Rinse off thoroughly</p>	<p>Step 5</p> <p>Dry with Clean towel</p>	<p>Step 6</p> <p>Put on clean clothing & bedding</p>		
<p>Day 1</p> <p>Body</p>	<p>Day 2</p> <p>Body & Hair</p>	<p>Day 3</p> <p>Body</p>	<p>Day 4</p> <p>Body & Hair</p>	<p>Day 5</p> <p>Body</p>

Date: 08/2017, Author: Schulke & Mayr UK Ltd., Approved: 08/2017.

Naseptin nasal cream step-by-step guide

A nasal cream called Naseptin which should be used **four times a day for 10 days.**

<p>1. Wash and dry your hands.</p>	<p>2. Unscrew the cap and squeeze a small amount of cream, about the size of a match head onto your little finger.</p>	<p>3. Apply cream to the inside of one nostril.</p>	<p>4. Repeat steps 2 and 3 for the other nostril.</p>	<p>5. Close your nostrils by pressing the sides of the nose together for a moment. This will spread the cream inside each nostril.</p>	<p>6. Wash and dry your hands. Then replace the cap on the tube.</p>
------------------------------------	------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------	-------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------

If severe irritation occurs with any of the products, discontinue use and contact your GP for further advice.